

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S6	0	boot\$3 and @ad<"20010105" and Mobitex and network adj configuration	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/09 14:52
S7	19	boot\$3 and @ad<"20010105" and Mobitex	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 09:44
S8	0	S7 and UNA	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 09:45
S9	4	S7 and network same address same boot\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 10:00
S10	0	automatic same network same configuration same address and @ad<"20010105" and mobitex	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 10:03
S11	182	automatic same network same configuration same address and @ad<"20010105"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 10:03
S12	7	S11 and boot\$2 same network adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 10:13
S13	1	pda same DHCP and @ad<"20010105"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 10:06
S14	27	mobile adj device and fixed same network same address and @ad<"20010105"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 10:14

EAST Search History

S15	2	S14 and boot\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 17:43
S16	71	format.ti. and removable adj media	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 17:48
S17	0	S16 and format adj removable adj disk	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 17:48
S18	0	S16 and format adj removable adj disc	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 17:48
S19	39	(format same removable).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 17:48
S20	6	(format same removable same media).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 14:43
S21	7	(skinner adj craig).inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 16:38
S22	7	(skinner adj craig).inv. and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 16:38
S23	6	(format same removable same media).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 14:43
S24	44	(format same removable).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 14:43

EAST Search History

S25	87	format.ti. and removable adj media	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 14:43
S26	199	automatic same network same configuration same address and @ad<"20010105"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 14:43
S27	8	S26 and boot\$2 same network adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 14:43
S28	6	("6961567" "6686638" "6282421"). pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/04 10:48
S29	0	09/755781	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/04 10:49
S30	0	"09755781"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/04 10:49
S31	47124	(@rlad<"20010105" @ad<"20010105") and network with (ID identifi\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/09 16:35
S32	0	(@rlad<"20010105" @ad<"20010105") and manufactur\$2 adj3 (ID identifi\$6) with network adj2 access	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/09 14:54
S33	81	(@rlad<"20010105" @ad<"20010105") and manufactur\$2 adj3 (ID identifi\$6) with network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/09 14:57
S34	20	(@rlad<"20010105" @ad<"20010105") and manufactur\$2 adj3 (ID identifi\$6) with network with automatic\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/09 14:56

EAST Search History

S35	16	S34 and pda	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/09 14:56
S36	49000	(@rlad<"20010105" @ad<"20010105") and network with (ID identifi\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 14:57
S37	82	(@rlad<"20010105" @ad<"20010105") and manufactur\$2 adj3 (ID identifi\$6) with network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 14:57
S38	20	(@rlad<"20010105" @ad<"20010105") and manufactur\$2 adj3 (ID identifi\$6) with network with automatic\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 14:57
S39	16	S35 and pda	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 14:58
S40	5	S39 and palm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 14:57
S41	20	S38 and (personal adj2 assistant pda palm mobile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 14:58
S42	1745	(@rlad<"20010105" @ad<"20010105") and automatic\$4 with network with (registration login connect)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/09 15:05
S43	144	S42 and (palm pda personal adj2 assistant)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/09 15:05
S44	168	S42 and (palm pda personal adj2 assistant)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 15:05

EAST Search History

S45	2140	(@rlad<"20010105" @ad<"20010105") and automatic\$4 with network with (registration login connect)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 15:10
S46	211	(@rlad<"20010105" @ad<"20010105") and automatic\$4 with network with (registration login connect) and (palm pda personal adj2 assistant)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 15:06
S47	2	S46 and manufactur\$2 adj (id identifi\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 15:06
S48	2	S46 and manufactur\$2 adj (id identifi\$6) with automatic\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 15:06
S49	11	(@rlad<"20010105" @ad<"20010105") and automatic\$4 with network with (registration login connect) with manufactur\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 15:10
S50	17	("20010036835" "20010039190" "20010041553" "4763317" "5576972" "5699357" "5802467" "5890064" "6047071" "6052750" "6098116" "6169725" "6188873" "6192281" "6288641" "6289213" "6327570").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/09 15:15
S51	2	S50 and (palm pda personal adj2 assistant)	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/09 15:15
S52	0	S51 and automatic\$4 with register	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/09 15:16
S53	1	S51 and automatic\$4	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/09 15:52
S54	0	S51 and automatic\$4 with network	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/09 15:16
S55	0	(@rlad<"20010105" @ad<"20010105") and automatic\$4 adj registration with manufactur\$3 adj (id identifier identification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 15:37

EAST Search History

S56	20	(@rlad<"20010105" @ad<"20010105") and automatic\$4 with network with manufactur\$3 adj (id identifier identification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 15:42
S57	20	S56 and (palm pda personal adj2 assistant)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 15:42
S58	33	("20020073046" "20020152400" "20 020161990" "20050021458" "50105 47" "5012219" "5075684" "5359317 " "5394140" "5430436" "5612682" " 5650776" "5705995" "5758069" "58 50599" "5859419" "5903852" "5958 006" "6124799" "6157630" "620885 3" "6240185" "6301666" "6480762" "6519470" "6539101" "6549773" " 6564104" "6591098" "6745011" "67 45029" "6829596" "6829704").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/09 15:52
S59	30	S58 and (@ad<"20010105" @rlad<"20010105")	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/09 15:53
S60	7	S59 and (pda palm)	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/09 15:53
S61	0	S60 and manufactur\$3 adj2 (id identification identif\$2)	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/09 15:53
S62	6	S60 and manufactur\$3	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/09 15:54
S63	20	(@rlad<"20010105" @ad<"20010105") and activat\$3 adj network adj service	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 16:03
S64	0	(@rlad<"20010105" @ad<"20010105") and automatic\$4 with activat\$3 adj network adj service	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 16:00
S65	68	(@rlad<"20010105" @ad<"20010105") and automatic\$4 with activat\$3 with network with service	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 16:00

EAST Search History

S66	1	S65 and (pda palm)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 16:00
S67	394	(@rlad<"20010105" @ad<"20010105") and automatic with network with (registration activation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 16:04
S68	11	(@rlad<"20010105" @ad<"20010105") and automatic with network with (registration activation) with network with identifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 16:22
S69	0	(@rlad<"20010105" @ad<"20010105") and automatic with network with (registration activation) with manufactur\$2 with identifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 16:04
S70	0	(@rlad<"20010105" @ad<"20010105") and mac adj address with automatic\$4 adj registration	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 16:23
S71	21	(@rlad<"20010105" @ad<"20010105") and mac adj address with activation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 16:23
S72	0	(@rlad<"20010105" @ad<"20010105") and mac adj address with activation with automatic\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 16:23
S73	0	(@rlad<"20010105" @ad<"20010105") and mac adj address with activation with automatic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 16:23
S74	7	S71 and (palm pda personal adj2 assistant)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 16:34
S75	0	(alan adj2 chen).xa. and assembly	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 16:34

EAST Search History

S76	0	(alan adj2 chen).xp. and assembly	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 16:35
S77	6000	(@rlad<"20010105" @ad<"20010105") and unique adj (id identifi6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/09 16:35
S78	6	(@rlad<"20010105" @ad<"20010105") and unique adj (id identifi6) with network with activat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 16:41
S79	822	(@rlad<"20010105" @ad<"20010105") and assembly adj line and ship\$4 and user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 16:43
S80	3	S79 and network adj4 identifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 16:42
S81	55	(@rlad<"20010105" @ad<"20010105") and manufacturer with load\$3 with (address identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 16:46
S82	0	(@rlad<"20010105" @ad<"20010105") and manufacturer with load\$3 with (address identifier) with (activat\$3 registrat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 16:44
S83	1	S81 and pda	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 16:46
S84	0	(@rlad<"20010105" @ad<"20010105") and automatic\$4 with (palm pda) with network with activation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 16:47